

Sample Received: June 19, 2026

COA Issued: June 25, 2026

PRODUCT INFORMATION

Vendor: PHRHLLC Sample Name: GLOW 42mg Sample Type: Blue lyophilized powder Lot Number: GLOW42-626 MW (g/mol): 403.2, 1419.5, 889.1

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: GLOW 42	GHK-Cu, BPC-157, TB-500	MALDI-MS	✓ Conforms
Content	27.61, 5.12, 10.46 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.7%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms

HPLC Chromatogram (Retention Time: 1.552, 1.835, 8.284 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>

Shane Straight
Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.